

SILENZIATORI

	Corpo Body Corps Körper	Silenziatore Muffler Silencieux Schalldämpfer	Guarnizioni Seals Joint d'étanchéité Dichtung	Pressione di lavoro Working pressure Pression de service Druckbereich	Temperatura d'esercizio Working temperature Température de service Betriebstemperatur
MV11-FE	Ottone UNI EN 12164 CW614N Nichelato Brass UNI EN 12164 CW614N Nickel plated Laiton UNI EN 12164 CW614N Nickelé Ms Vernickelt UNI EN 12164 CW614N	Acciaio Inox AISI 304 Stainless Steel AISI 304 Acier Inox AISI 304 Edelstahl AISI 304		0 ÷ 12 bar	-10 ÷ 70 °C
MV11-FEP	PA6	Acciaio Inox AISI 304 Stainless Steel AISI 304 Acier Inox AISI 304 Edelstahl AISI 304		0 ÷ 12 bar	-10 ÷ 70 °C
MV11-PL	POM			0 ÷ 6 bar	-10 ÷ 70 °C
MV11-CO - MV11-CQ MV11-BE - MV11-VE MV11-P	Ottone UNI EN 12164 CW614N Brass UNI EN 12164 CW614N Laiton UNI EN 12164 CW614N Ms UNI EN 12164 CW614N	Bronzo Sinterizzato Sintered bronze Bronze fritté Sinterbronze		0 ÷ 12 bar	-10 ÷ 70 °C
MV14	Ottone UNI EN 12164 CW614N Nichelato Brass UNI EN 12164 CW614N Nickel plated Laiton UNI EN 12164 CW614N Nickelé Ms Vernickelt UNI EN 12164 CW614N	Bronzo Sinterizzato Sintered bronze Bronze fritté Sinterbronze	NBR NBR NBR NBR	0 ÷ 10 bar	-10 ÷ 70 °C

Livello di rumore a 6 bar - Noise level at 6 bar
Niveau de bruit à 6 bar - Geräuschstand bei 6 bar

Tipo	1/8	1/4	3/8	1/2
MV11 -FE	74 dB	72 dB	88 dB	90 dB
MV11 -FEP	74 dB	72 dB	88 dB	90 dB
MV11 -CO	70 dB	67 dB	77 dB	80 dB
MV11 -CQ	70 dB	67 dB	77 dB	80 dB
MV11 -BE	75 dB	81 dB	82 dB	85 dB
MV11 -P	72 dB	73 dB	84 dB	88 dB
MV11 -PL	87 dB	84 dB	90 dB	90 dB
MV11 -VE	72 dB	73 dB	84 dB	88 dB

Soglia di filtrazione - Filtration threshold
Seuil de Filtration - Filterungsschwelle

Tipo	
MV11 -FE	100-200 µm
MV11 -FEP	100-200 µm
MV11 -CO	35 µm
MV11 -CQ	35 µm
MV11 -BE	35 µm
MV11 -P	80 µm
MV11 -PL	-
MV11 -VE	80 µm


MV 11-FE

Silenziatore in ottone con filo in acciaio inox

Air muffler with stainless steel wire

Silencieux avec fil acier inox

Schalldämpfer mit Edelstahldraht



Tipo	D1	L1	L2	CH	g
11 00 18-FE	G1/8	6	15	13	6
11 00 14-FE	G1/4	7	18	16	10
11 00 38-FE	G3/8	8	20	19	16
11 00 12-FE	G1/2	10	22	24	25


MV 11-FEP

Silenziatore con filo in acciaio inox

Air muffler with stainless steel wire

Silencieux avec fil acier inox

Schalldämpfer mit Edelstahldraht



Tipo	D1	L1	L2	CH	g
11 00 18-FEP	G1/8	6	15	13	1,5
11 00 14-FEP	G1/4	7	18	16	3
11 00 38-FEP	G3/8	8	20	19	4
11 00 12-FEP	G1/2	10	22	24	7


MV 11-CO

Silenziatore in bronzo sinterizzato

Sintered bronze air muffler

Silencieux en bronze fritté

Schalldämpfer aus Sinterbronze



Tipo	D1	L1	L2	g
11 00 M5-CO	M5x0,8	4,5	13	1,5
11 00 18-CO	G1/8	6	21	8
11 00 14-CO	G1/4	6	25	16
11 00 38-CO	G3/8	8	36	22
11 00 12-CO	G1/2	10	43	49


MV 11-CQ

Silenziatore in bronzo sinterizzato

Sintered bronze air muffler

Silencieux en bronze fritté

Schalldämpfer aus Sinterbronze



Tipo	D1	L1	L2	CH	g Δ
11 00 18-CQ	G1/8	6	21	7	8
11 00 14-CQ	G1/4	6	25	8	14
11 00 38-CQ	G3/8	8	38	10	32
11 00 12-CQ	G1/2	10	43	14	62


MV 11-BE

Silenziatore in bronzo sinterizzato

Sintered bronze air muffler

Silencieux en bronze fritté

Schalldämpfer aus Sinterbronze



Tipo	D1	L1	L2	CH	g Δ
11 00 M5-BE	M5x0,8	4	17	8	2,5
11 00 18-BE	G1/8	6	29	13	9
11 00 14-BE	G1/4	7	32	16	16
11 00 38-BE	G3/8	8	40	19	25
11 00 12-BE	G1/2	9	45	24	47


MV 11-P

Silenziatore a pastiglia

Flat muffler

Silencieux, plat

Schalldämpfer aus Sinterbronze, flache Ausführung



Tipo	D1	L1	g Δ
11 00 18-P	G1/8	5	1,5
11 00 14-P	G1/4	6	3,5
11 00 38-P	G3/8	7	6
11 00 12-P	G1/2	8	11


MV 11-PL

Silenziatore a sfere di plastica

Plastic ball muffler

Silencieux à boules plastique

Schalldämpfer mit Kunststoffkugeln



Tipo	D1	D2	L1	L2	g Δ
11 00 18-PL	G1/8	15	6	32,5	4,5
11 00 14-PL	G1/4	19,5	8	43	9
11 00 38-PL	G3/8	24,5	11	58	14
11 00 12-PL	G1/2	24,5	11	58	18


MV 11-VE

Regolatore di scarico con silenziatore in bronzo sinterizzato

Exhaust Control with sintered bronze air muffler

Réducteur d'échappement avec silencieux en bronze fritté

Entlüftungsdrosselventil mit Schalldämpfer aus Sinterbronze



Tipo	D1	L1	L2 max	CH	g Δ
11 00 18-VE	G1/8	6	28	13	16
11 00 14-VE	G1/4	8	32	15	24
11 00 38-VE	G3/8	10	38	22	53
11 00 12-VE	G1/2	11	40	22	59


MV 14

Regolatore di scarico con silenziatore

Exhausting Control with muffler

Réducteur d'échappement avec silencieux

Entlüftungsdrosselventil mit Schalldämpfer



Tipo	D1	L1	L2 max	CH	g Δ
14 00 M5	M5x0,8	4	25	8	6
14 00 18	G1/8	5	32	14	28
14 00 14	G1/4	6,5	40	17	52
14 00 38	G3/8	7	50	20	90